



*Delivering results...*



# MAX SPARES & ENGINEERS

Manufacturer of Construction Machinery & Machinery Spares



*Delivering results...*

# MAX SPARES & ENGINEERS

**Manufacturer of Construction Machinery & Machinery Spares**

We have to Introduce our Company Namely “MAX SPARES & ENGINEERS” is a leading Manufacturer and Supplier of Construction Machinery, Construction Equipments, Tunneling and Machinery Parts in India. We not only offer you premium parts but also an exceptional service, outstanding savings and the support you need to get your order quickly and accurately. Our focus is to provide you with great quality parts at a good value. A strong Support and high Standard Products are further enhanced by our management innovative thinking.

We Manufacture :-

- Cement Grouting Pumps.
- Shotcrete Machines.
- Concrete Pump Spares.
- Batching Plant Spares.
- Boomer & Tamrock Spares.
- Tunnel Gantry & Spares.
- Factory Machinery Spares.
- Sample Base & Drawing Base Machinery Parts.



*Delivering results...*

## Spares



Lining  
Tube



Conveying  
Screw



Rotor  
Stator



Mixing  
Shaft



## MGP - 400

CEMENT GROUTING PUMP

## SPECIFICATIONS

**Pressure - 35Kg/cm<sup>2</sup>**

**Delivery Rate - 2,000Lph**

**Delivery Distance Vertical - 15 Meter (Max)**

**Delivery Distance Horizontal - 90 Meter**

**Total Weight - 290Kg**

**Motor - 5 or 7.5 H.P. , 3phase**

**Vibrator - 0.5 H.P. , 3phase**

**Water Pump - 0.5 H.P. , Single phase**

**Hose Inner Diameter - 18mm**



*Delivering results...*



## **USES :-**

- \*The Injection work**
- \*Re - Injection work**
- \*Drill hole filling**
- \*Cavity Filling**
- \*Anchor Filling.**

## **MGP - 400**

**CEMENT GROUTING PUMP**

## **DETAILS**

**IEG - 400 Cement Grouting Pump is designed for extreme conditions and has been successfully used all over India in mining, tunnel and underground construction and for securing mountain slopes and excavation pits.**

**With Automatic Water Mixing Technology Including Inner PU Conveyor & Liener for long life.**

**The use of Valve you can add water into Cement according to your Requirement of Cement Slurry.**

**Semi Automatic Machine easy to operate you don't need any extra experienced person for Operating.**



*Delivering results...*



## **MGP - 300**

**CEMENT GROUTING PUMP**

### **SPECIFICATIONS**

**Pressure - 6 - 7Kg/cm<sup>2</sup>**  
**Delivery Rate - 800Lph**  
**Delivery Distance Vertical - 12 Meter (Max.)**  
**Delivery Distance Horizontal - 60 Meter (Max.)**  
**Main Pump Motor - 2 H.P. or 3 H.P.**  
**Mixing Drum Motor - 1 H.P.**  
**Single Mixing Drum Capacity - 150Litre**  
**Total Weight - 110 Kg**  
**\*\*\* We can also add Mixing Drum  
as per Customer's request.\*\*\***



*Delivering results...*



## **MGP - 350S**

**CEMENT GROUTING PUMP**

### **SPECIFICATIONS**

**Pressure - 9 Kg/cm<sup>2</sup>**

**Delivery Rate - 2,400Lph**

**Delivery Distance Vertical - 25 Meter (Approx)**

**Delivery Distance Horizontal - 100 Meter (Approx)**

**Electricity Supply - 3phase**

**Main Pump Motor - 5 H.P.**

**Mixing Drum Motor - 1 H.P.**

**Mixing Drum Capacity - 200Litres**

**Total Weight - 240 Kg (Approx)**

**\*\*\* We can also add Dual Mixing Drum  
as per Customer's request.\*\*\***



*Delivering results...*



## **MGP - 525S**

**CEMENT GROUTING PUMP**

### **SPECIFICATIONS**

**Pressure - 13 to 15 Kg/cm<sup>2</sup>**

**Delivery Rate - 4,000Lph**

**Delivery Distance Vertical - 40 Meter (Approx)**

**Delivery Distance Horizontal - 200 Meter (Approx)**

**Electricity Supply - 3phase**

**Main Pump Motor - 7.5 H.P. or 10 H.P.**

**Mixing Drum Motor - 1 H.P.**

**Drum Capacity - 300Litres**

**Total Weight - 450 Kg**

**\*\*\* We have available Single Mixing**

**Drum Pump.\*\*\***



*Delivering results...*



## **MGP - 700D**

**CEMENT GROUTING PUMP**

## **SPECIFICATIONS**

**Pressure - 24 - 25Kg/cm<sup>2</sup>**  
**Delivery Rate - 6,000Lph**  
**Delivery Distance Vertical - 50 Meter (Approx)**  
**Delivery Distance Horizontal - 300 Meter (Approx)**  
**Main Pump Motor - 10 H.P.**  
**Mixing Drum Motor - 1 H.P.**  
**Mixing Drum Capacity - 250 Liters.**  
**Agitator Drum Capacity - 300 Liters.**  
**Each drum have 1H.P. Motor.**  
**Total Weight - 750Kg (Approx)**  
**\*\*\*We can also add Colloidal Mixer in this pump  
as per customer's request\*\*\***





*Delivering results...*



## **MGP - 900D**

**CEMENT GROUTING PUMP**

## **SPECIFICATIONS**

**Pressure - 35Kg/cm<sup>2</sup>**  
**Delivery Rate - 4,000Lph (Approx)**  
**Delivery Distance Vertical - 85 Meter (Approx)**  
**Delivery Distance Horizontal - 400 Meter (Approx)**  
**Total Weight - 900Kg**  
**Electricity Supply - 3phase**  
**Main Pump Motor - 15 H.P.**  
**Mixing Drum Motor - 2 H.P.**  
**Twin Cement Mixing Drum with Gear Box.**  
**Each drum have 2H.P. Motor.**  
**\*\*\*We can also Modify the Pump**  
**as pe customer's request\*\*\***



*Delivering results...*



## WET SHOTCRETE MACHINE

### SPECIFICATIONS

- Motor - 10 H.P. (3phase)**
- Motor Rotation - 960 RPM**
- Vibrator - 1 H.P. (3phase)**
- Dosing Pump - Yes**
- Dosing Pump Motor - 1 H.P. (3phase)**
- Drive System - For Dosing pump.**
- Output Capacity - 6 m<sup>3</sup>/h (Approx)**
- Weight - 1500kg (Approx)**
- Application - Concrete Spraying**
- Moveable - Yes**
- Hose ID - 65mm**
- Max Aggregate size - 15mm**



*Delivering results...*



## **DRY SHOTCRETE MACHINE**

### **SPECIFICATIONS**

- Motor - 10 H.P. (3phase)**
- Motor Rotation - 1440 RPM**
- Output Capacity - 2m<sup>3</sup>/h (Approx)**
- Weight - 950kg (Approx)**
- Application - Concrete Spraying**
- Moveable - Yes**
- Hose ID - 65mm**
- Max Aggregate size - 12mm**




*Delivering results...*



## **PNEUMATIC CONCRETE PLACER**

### **SPECIFICATIONS**

**This is used for placement of concrete at a distance Vertically or Horizontally. The mixed concrete or concrete mixture is transferred into the air concrete placer. The compressed air supply is to be provided to it through hose pipe or concrete pipeline. As soon as the compressed air supply is started the concrete from it begins transferring from placer to concrete pipeline, finally it reaches the point of placement.**



# MAX SPARES & ENGINEERS



## RockDrill Mechanical Spares


A wide Range of boomer L2D & Tamrock Spares available. We do not provide original spares but we offer you premium high quality Durable Spares. We are Specialist in manufacturing S.S. Slide Bars for Boomer & Tamrock. We have available Aluminium holders, Hose drum, Wire Ropes, Centralizers, Diaphragm, Slide Pieces, Cradle Plates, Centralizers plate, Rubber Bushes, Pully Wheel, Dowells, Buffers, Slide holder etc. Here is some pictures given in next page So you can identify the products.

# Boomer & Tamrock Spares



*Delivering results...*





Sarai Hissamuddin, Opp. Islamia  
Degree College, Saharanpur-UP (India)



Asjad Ansari (Prop.)



7906946288



asjadansari03@gmail.com